





RRC28K-W

Corner Recycling Centers

- Three removable white polymer 32 qt. bins rotate on 1" diameter post
- Designed to fit in 36" base corner cabinet



Post Height Range
 RRC28K-W: 28-1/2" to 30-1/2"
 RRC28PT-W: 25" to 33"




RRC28PT-W model includes hardware to mount to revolving cabinet door



TM32-W

Pivot-Out Waste & Recycling Bin


- Pivot-out waste bin with self-opening and self-closing lid
- Clamping ring holds bags securely
- Works with most face frame & frameless cabinets



DWB975-W

Door-Mounted Waste Bin

- White polymer removable bin mounts on White frame
- Perfect for kitchens and baths
- Installs with two screws




| Stock # | Diameter | | Assembled Product Dimensions | | Finish [Hardware/Bin] | Capacity per Bin | Number of Bins | Units per Carton | Weight per Carton |
|--|-------------------------------|--------------------|------------------------------|-----------------|-----------------------|------------------|------------------|--------------------|---------------------|
| | A | B | C | D | | | | | |
| CORNER RECYCLING CENTER | | | | | | | | | |
| RRC28K-W | 27-5/8" [702 mm] | 18-5/16" [465 mm] | 4-1/2" [114 mm] | 3-3/16" [81 mm] | Chrome/White | 32 qt. | 3 | 1 | 15.3 lbs. [6.9 kg.] |
| RRC28PT-W | 27-5/8" [702 mm] | 18-5/16" [465 mm] | 4-1/2" [114 mm] | 3-3/16" [81 mm] | Chrome/White | 32 qt. | 3 | 1 | 18.8 lbs. [8.5 kg.] |
| Stock # | Assembled Product Dimensions* | | | Finish | Capacity per Bin | Number of Bins | Units per Carton | Weight per Carton | |
| | Width W | Height H | Depth D | | | | | | |
| PIVOT-OUT WASTE & RECYCLING BIN | | | | | | | | | |
| TM32-W | 13-1/2" [345 mm] | 19-1/2" [495 mm]** | 13" [332 mm] | White | 32 qt. | 1 | 1 | 6.3 lbs. [2.9 kg.] | |
| DOOR-MOUNTED WASTE BIN | | | | | | | | | |
| DWB975-W | 9-1/2" [241 mm] | 13-3/8" [340 mm] | 7" [178 mm] | White/White | 9 qt. | 1 | 1 | 1.7 lbs. [0.8 kg.] | |

*Product dimensions include units in a fully-closed position, unless noted otherwise. **Height listed is when product is in an open position.

See pages 16-17 for recommended cabinet dimensions and clearances. See page 14 for bin and lid information.

Replacement Bins & Lids

| Stock # | Dimensions | | | Finish | Description | Units per Carton | Weight per Carton |
|-------------|------------------|------------------|------------------|----------|-------------|------------------|---------------------|
| | Width W | Height* H | Depth D | | | | |
| BINS | | | | | | | |
| QT20PB-WH | 14-1/4" [362 mm] | 16" [406 mm] | 7-1/4" [184 mm] | White | 20 qt. | 6 | 12 lbs. [5.4 kg.] |
| QT20PB-PT | 14-1/4" [362 mm] | 16" [406 mm] | 7-1/4" [184 mm] | Platinum | 20 qt. | 6 | 12 lbs. [5.4 kg.] |
| QT27PB-W | 10-5/8" [270 mm] | 17-3/4" [451 mm] | 10-5/8" [270 mm] | White | 27 qt. | 10 | 17.4 lbs. [7.9 kg.] |
| QT27PB-PT | 10-5/8" [270 mm] | 17-3/4" [451 mm] | 10-5/8" [270 mm] | Platinum | 27 qt. | 10 | 17.4 lbs. [7.9 kg.] |
| QT32PB-W | 14" [356 mm] | 20" [508 mm] | 11-3/4" [298 mm] | White | 32 qt. | 1 | 4 lbs. [1.8 kg.] |
| QT35PB-WH | 14-1/4" [362 mm] | 17-1/2" [445 mm] | 9-3/16" [233 mm] | White | 35 qt. | 6 | 14 lbs. [6.4 kg.] |
| QT35PB-PT | 14-1/4" [362 mm] | 17-1/2" [445 mm] | 9-3/16" [233 mm] | Platinum | 35 qt. | 6 | 14 lbs. [6.4 kg.] |
| QT50PB-W | 15-3/8" [391 mm] | 21-3/8" [542 mm] | 11-1/8" [283 mm] | White | 50 qt. | 8 | 20 lbs. [9.1 kg.] |
| QT50PB-P | 15-3/8" [391 mm] | 21-3/8" [542 mm] | 11-1/8" [283 mm] | Platinum | 50 qt. | 8 | 20 lbs. [9.1 kg.] |
| LIDS | | | | | | | |
| QT20LB-WH | 14-1/2" [368 mm] | * | 7-7/16" [189 mm] | White | Fits 20 qt. | 1 | 2 lbs. [0.9 kg.] |
| QT20LB-PT | 14-1/2" [368 mm] | * | 7-7/16" [189 mm] | Platinum | Fits 20 qt. | 1 | 2 lbs. [0.9 kg.] |
| QT35LB-WH | 14-1/2" [368 mm] | * | 9-9/16" [243 mm] | White | Fits 35 qt. | 1 | 2 lbs. [0.9 kg.] |
| QT35LB-PT | 14-1/2" [368 mm] | * | 9-9/16" [243 mm] | Platinum | Fits 35 qt. | 1 | 2 lbs. [0.9 kg.] |



* Lid adds 3/4" to bin height.

See pages 16-17 for recommended cabinet dimensions and clearances. See page 14 for bin and lid information.

| Replacement Bin Chart | | | | | |
|-----------------------|---------------------------|-----------------|---------------------------|-----------------|---------------------------|
| PRODUCT NUMBER: | REPLACEMENT STOCK NUMBER: | PRODUCT NUMBER: | REPLACEMENT STOCK NUMBER: | PRODUCT NUMBER: | REPLACEMENT STOCK NUMBER: |
| SCB10-1-35WH | QT35PB-WH | PDMTM145-1-50WH | QT50PB-W | TSC15-1-35WH | QT35PB-WH |
| SCB10-1-35PT | QT35PB-PT | PDMTM15-2-35WH | QT35PB-WH | TSC15-1-35PT | QT35PB-PT |
| SCB12-1-50WH | QT50PB-W | PDMTM175-2-35WH | QT35PB-WH | TSC15-1-50WH | QT50PB-W |
| SCB12-1-50PT | QT50PB-P | PDMTM18-2-35WH | QT35PB-WH | TSC15-1-50PT | QT50PB-P |
| SCB12-2-27WH | QT27PB-W | PDMTM21-2-35WH | QT35PB-WH | TSC15-2-35WH | QT35PB-WH |
| SCB12-2-27PT | QT27PB-PT | SBM12-2-27WH | QT27PB-W | TSC15-2-35PT | QT35PB-PT |
| SCB15-1-20WH | QT20PB-WH | SBM24-4-27WH | QT27PB-W | TSC18-2-35WH | QT35PB-WH |
| SCB15-1-20PT | QT20PB-PT | SBM10-1-35WH | QT35PB-WH | TSC18-2-35PT | QT35PB-PT |
| SCB15-2-20WH | QT20PB-WH | SBM12-1-50WH | QT50PB-W | USC12-1-35WH | QT35PB-WH |
| SCB15-2-20PT | QT20PB-PT | SBM15-1-20WH | QT20PB-WH | USC12-1-35PT | QT35PB-PT |
| SCB15-2-35WH | QT35PB-WH | SBM15-1-35WH | QT35PB-WH | USC12-1-50WH | QT50PB-W |
| SCB15-2-35PT | QT35PB-PT | SBM15-2-20WH | QT20PB-WH | USC12-1-50PT | QT50PB-PT |
| SCB15-3-20WH | QT20PB-WH | SBM15-2-35WH | QT35PB-WH | USC12-2-27WH | QT27PB-W |
| SCB15-3-20PT | QT20PB-PT | SBM15-3-20WH | QT20PB-WH | USC12-2-27PT | QT27PB-PT |
| SCB24-4-27WH | QT27PB-W | SBM9-1-20WH | QT20PB-WH | USC15-2-35WH | QT35PB-WH |
| SCB24-4-27PT | QT27PB-PT | RRC28K-W | QT32PB-W | USC15-2-35PT | QT35PB-PT |
| SCB9-1-20PT | QT20PB-PT | RRC28PT-W | QT32PB-W | USC18-2-50WH | QT50PB-WH |
| SCB9-1-20WH | QT20PB-WH | TSC12-1-35WH | QT35PB-WH | USC18-2-50PT | QT50PB-PT |
| PDMTM115-1-35WH | QT35PB-WH | TSC12-1-35PT | QT35PB-PT | | |
| PDMTM12-1-35WH | QT35PB-WH | | | | |





Cabinet Dimensions

| Stock # | Min. Cabinet Opening | | Minimum Interior Cabinet Dimensions | | Minimum Cabinet Clearances | |
|----------------------------------|----------------------|------------------|-------------------------------------|------------------|----------------------------|---------------|
| | Width O | Width W | Height* H | Depth D | Front F | Back B |
| SINGLE BIN UNITS | | | | | | |
| NON-DOOR-MOUNT | | | | | | |
| ECW9-1-20WH | 14-1/2" [368 mm] | 7-1/2" [191 mm] | 17-1/2" [444 mm] | 16" [406 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| ECW10-1-35WH | 14-1/2" [368 mm] | 10" [254 mm] | 19" [482 mm] | 16" [406 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SCB9-1-20PT | 9" [229 mm] | 9" [229 mm] | 17-13/16" [452 mm] | 20-1/2" [521 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SCB9-1-20WH | 9" [229 mm] | 9" [229 mm] | 17-13/16" [452 mm] | 20-1/2" [521 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SCB10-1-35PT | 10" [254 mm] | 10" [254 mm] | 19-5/16" [491 mm] | 20-1/2" [521 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SCB10-1-35WH | 10" [254 mm] | 10" [254 mm] | 19-5/16" [491 mm] | 20-1/2" [521 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SCB12-1-50PT | 12" [305 mm] | 12" [305 mm] | 23-3/8" [594 mm] | 20-1/2" [521 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SCB12-1-50WH | 12" [305 mm] | 12" [305 mm] | 23-3/8" [594 mm] | 20-1/2" [521 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SCB15-1-20PT | 15" [381 mm] | 15" [381 mm] | 17-13/16" [452 mm] | 16" [407 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SCB15-1-20WH | 15" [381 mm] | 15" [381 mm] | 17-13/16" [452 mm] | 16" [407 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SBM9-1-20WH | 9" [229 mm] | 9" [229 mm] | 17-13/16" [452 mm] | 20-1/2" [521 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SBM10-1-35WH | 10" [254 mm] | 10" [254 mm] | 19-5/16" [491 mm] | 20-1/2" [521 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SBM12-1-50WH | 12" [305 mm] | 12" [305 mm] | 23-3/8" [594 mm] | 20-1/2" [521 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SBM15-1-20WH | 15" [381 mm] | 15" [381 mm] | 17-13/16" [452 mm] | 16-3/8" [416 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SBM15-1-35WH | 15" [381 mm] | 15" [381 mm] | 19-5/16" [491 mm] | 16-3/8" [416 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| DOOR-MOUNT (BOTTOM-MOUNT) | | | | | | |
| DWB975-W | 12" [305 mm] | 12" [305 mm] | 12-1/8" [308 mm] | 7-1/2" [191 mm] | – | 1/8" [3 mm] |
| WUSC12-1-35PT | 11-3/4" [298 mm] | 11-3/4" [298 mm] | 19-1/2" [241 mm] | 22-1/2" [597 mm] | – | 1/8" [3 mm] |
| WUSC12-1-35WH | 11-3/4" [298 mm] | 11-3/4" [298 mm] | 19-1/2" [241 mm] | 22-1/2" [597 mm] | – | 1/8" [3 mm] |
| WUSC12-1-50PT | 11-3/4" [298 mm] | 11-3/4" [298 mm] | 23-1/2" [597 mm] | 22-1/2" [597 mm] | – | 1/8" [3 mm] |
| WUSC12-1-50WH | 11-3/4" [298 mm] | 11-3/4" [298 mm] | 23-1/2" [597 mm] | 22-1/2" [597 mm] | – | 1/8" [3 mm] |
| USC12-1-35WH | 12" [305 mm] | 12" [305 mm] | 19-3/16" [487 mm] | 22-5/8" [575 mm] | – | 1/8" [3 mm] |
| USC12-1-35PT | 12" [305 mm] | 12" [305 mm] | 19-3/16" [487 mm] | 22-5/8" [575 mm] | – | 1/8" [3 mm] |
| USC12-1-50WH | 12" [305 mm] | 12" [305 mm] | 23-5/16" [592 mm] | 22-5/8" [575 mm] | – | 1/8" [3 mm] |
| USC12-1-50PT | 12" [305 mm] | 12" [305 mm] | 23-5/16" [592 mm] | 22-5/8" [575 mm] | – | 1/8" [3 mm] |
| DOOR-MOUNT (TOP-MOUNT) | | | | | | |
| PDMTM115-1-35WH | 11-1/2" [292 mm] | 11-1/2" [292 mm] | 18" [457 mm] | 22-1/2" [572 mm] | – | 1/8" [3 mm] |
| PDMTM12-1-35WH | 12" [305 mm] | 12" [305 mm] | 18" [457 mm] | 22-1/2" [572 mm] | – | 1/8" [3 mm] |
| PDMTM145-1-50WH | 14-1/2" [368 mm] | 14-1/2" [368 mm] | 22-1/8" [562 mm] | 22-1/2" [572 mm] | – | 1/8" [3 mm] |
| TSC12-1-35WH | 11-1/2" [292 mm] | 11-1/2" [292 mm] | 18" [457 mm] | 23-3/8" [594 mm] | – | 1/8" [3 mm] |
| TSC12-1-35PT | 11-1/2" [292 mm] | 11-1/2" [292 mm] | 18" [457 mm] | 23-3/8" [594 mm] | – | 1/8" [3 mm] |
| TSC15-1-35WH | 14-1/2" [368 mm] | 14-1/2" [368 mm] | 18" [457 mm] | 23-3/8" [594 mm] | – | 1/8" [3 mm] |
| TSC15-1-35PT | 14-1/2" [368 mm] | 14-1/2" [368 mm] | 18" [457 mm] | 23-3/8" [594 mm] | – | 1/8" [3 mm] |
| TSC15-1-50WH | 14-1/2" [368 mm] | 14-1/2" [368 mm] | 22-1/8" [562 mm] | 23-3/8" [594 mm] | – | 1/8" [3 mm] |
| TSC15-1-50PT | 14-1/2" [368 mm] | 14-1/2" [368 mm] | 22-1/8" [562 mm] | 23-3/8" [594 mm] | – | 1/8" [3 mm] |

* If using lid, add 3/4".

Dimensions shown are recommended minimum cabinet dimensions and clearances.

Example of Face Frame Cabinet Application



Cabinet Dimensions

| Stock # | Min. Cabinet Opening | | Minimum Cabinet Dimensions | | Minimum Cabinet Clearances | |
|--|----------------------|------------------|----------------------------|-------------------|----------------------------|---------------|
| | Width O | Width W | Height* H | Depth D | Front F | Back B |
| DOUBLE BIN UNITS - NON-DOOR-MOUNT | | | | | | |
| SCB12-2-27PT | 12" [305 mm] | 12" [305 mm] | 19" [482 mm] | 22-9/16 [573 mm] | – | 1/8" [3 mm] |
| SCB12-2-27WH | 12" [305 mm] | 12" [305 mm] | 19" [482 mm] | 22-9/16 [573 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SCB15-2-20PT | 15" [381 mm] | 15" [381 mm] | 17-13/16" [452 mm] | 20-3/8" [518 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SCB15-2-20WH | 15" [381 mm] | 15" [381 mm] | 17-13/16" [452 mm] | 20-3/8" [518 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SCB15-2-35PT | 15" [381 mm] | 15" [381 mm] | 19-5/16" [491 mm] | 23-3/8" [594 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SCB15-2-35WH | 15" [381 mm] | 15" [381 mm] | 19-5/16" [491 mm] | 23-3/8" [594 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SBM12-2-27WH | 12" [305 mm] | 12" [305 mm] | 19" [482 mm] | 22-9/16" [573 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SBM15-2-20WH | 15" [381 mm] | 15" [381 mm] | 17-13/16" [452 mm] | 20-3/8" [518 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SBM15-2-35WH | 15" [381 mm] | 15" [381 mm] | 19-5/16" [491 mm] | 22-3/8" [568 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| DOOR-MOUNT (BOTTOM-MOUNT) | | | | | | |
| WUSC12-2-27PT | 11-1/2" [292 mm] | 11-3/4" [298 mm] | 19-3/4" [502 mm] | 22-1/2" [597 mm] | – | 1/8" [3 mm] |
| WUSC12-2-27WH | 11-1/2" [292 mm] | 11-3/4" [298 mm] | 19-3/4" [502 mm] | 22-1/2" [597 mm] | – | 1/8" [3 mm] |
| WUSC15-2-35PT | 14-1/2" [368 mm] | 14-3/4" [375 mm] | 19-1/2" [502 mm] | 22-1/2" [597 mm] | – | 1/8" [3 mm] |
| WUSC15-2-35WH | 14-1/2" [368 mm] | 14-3/4" [375 mm] | 19-1/2" [502 mm] | 22-1/2" [597 mm] | – | 1/8" [3 mm] |
| WUSC18-2-50PT | 17" [432 mm] | 17" [432 mm] | 23-1/4" [591 mm] | 22-9/16" [573 mm] | – | 1/8" [3 mm] |
| WUSC18-2-50WH | 17" [432 mm] | 17" [432 mm] | 23-1/4" [591 mm] | 22-9/16" [573 mm] | – | 1/8" [3 mm] |
| USC12-2-27PT | 12" [305 mm] | 12" [305 mm] | 19-1/4" [489 mm] | 22-9/16" [573 mm] | – | 1/8" [3 mm] |
| USC12-2-27WH | 12" [305 mm] | 12" [305 mm] | 19-1/4" [489 mm] | 22-9/16" [573 mm] | – | 1/8" [3 mm] |
| USC15-2-35WH | 15" [381 mm] | 15" [381 mm] | 19-3/16" [487 mm] | 22-5/8" [575 mm] | – | 1/8" [3 mm] |
| USC15-2-35PT | 15" [381 mm] | 15" [381 mm] | 19-3/16" [487 mm] | 22-5/8" [575 mm] | – | 1/8" [3 mm] |
| USC18-2-50WH | 16" [406 mm] | 15-5/8" [397 mm] | 23-5/16" [592 mm] | 22-5/8" [575 mm] | – | 1/8" [3 mm] |
| USC18-2-50PT | 16" [406 mm] | 15-5/8" [397 mm] | 23-5/16" [592 mm] | 22-5/8" [575 mm] | – | 1/8" [3 mm] |
| DOOR-MOUNT (TOP-MOUNT) | | | | | | |
| PDMTM15-2-35WH | 15" [381 mm] | 15" [381 mm] | 18" [457 mm] | 22-1/2" [572 mm] | – | 1/8" [3 mm] |
| PDMTM175-2-35WH | 17-1/2" [445 mm] | 17-1/2" [445 mm] | 18" [457 mm] | 22-1/2" [572 mm] | – | 1/8" [3 mm] |
| PDMTM18-2-35WH | 18" [457 mm] | 18" [457 mm] | 18" [457 mm] | 22-1/2" [572 mm] | – | 1/8" [3 mm] |
| PDMTM21-2-35WH | 21" [533 mm] | 21" [533 mm] | 18" [457 mm] | 22-1/2" [572 mm] | – | 1/8" [3 mm] |
| TSC15-2-35WH | 15" [381 mm] | 15" [381 mm] | 18" [457 mm] | 23-3/8" [594 mm] | – | 1/8" [3 mm] |
| TSC15-2-35PT | 15" [381 mm] | 15" [381 mm] | 18" [457 mm] | 23-3/8" [594 mm] | – | 1/8" [3 mm] |
| TSC18-2-35WH | 17-1/2" [445 mm] | 17-1/2" [445 mm] | 18" [457 mm] | 23-3/8" [594 mm] | – | 1/8" [3 mm] |
| TSC18-2-35PT | 17-1/2" [445 mm] | 17-1/2" [445 mm] | 18" [457 mm] | 23-3/8" [594 mm] | – | 1/8" [3 mm] |
| TRIPLE BIN UNITS - NON-DOOR-MOUNT | | | | | | |
| SCB15-3-20PT | 15" [381 mm] | 15" [381 mm] | 17-13/16" [452 mm] | 23-3/8" [594 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SCB15-3-20WH | 15" [381 mm] | 15" [381 mm] | 17-13/16" [452 mm] | 23-3/8" [594 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SBM15-3-20WH | 15" [381 mm] | 15" [381 mm] | 17-13/16" [452 mm] | 23-3/8" [594 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| FOUR BIN UNITS - NON-DOOR-MOUNT | | | | | | |
| SCB24-4-27-PT | 24" [610 mm] | 24" [610 mm] | 19-1/2" [495 mm] | 22-5/8" [575 mm] | – | 1/8" [3 mm] |
| SCB24-4-27WH | 24" [610 mm] | 24" [610 mm] | 19-1/2" [495 mm] | 22-5/8" [594 mm] | 1/4" [6 mm] | 1/8" [3 mm] |
| SBM24-4-27WH | 24" [610 mm] | 24" [610 mm] | 19-1/2" [495 mm] | 23-3/8" [594 mm] | 1/4" [6 mm] | 1/2" [13 mm] |

* If using lid, add 3/4".

Example of Frameless / Euro-Style Cabinet Application

